

Subject Index

- ABPC 48** idiotypes, in anti-levean response of BALB/c mice, 290-295
- Adenylate cyclase activity, affected by Ab₂ antibodies, 242-243
- Adoptive transfer, and suppression of B-cell responses by T cells, 179-180
- β -Adrenergic receptors, DHA binding to, inhibited by Ab₂ antibodies, 242
- Affinity of antibodies, somatic mutation affecting, 171-176
- Age, and auto-anti-idiotypic antibody production, 27-29
- Albumin, bovine serum, antibodies to and immune-complex glomerulonephritis, 371
- multi-specific, 305-312
- Allergic diseases, immediate type, 330-345
- Allotypes
- antibodies to al, shared and nonshared idiotypes on, 313-316
 - latent, in rabbits, 109-120
 - suppression induction, 84-96
 - allo-anti-allotype antibodies in, 85-86
 - auto-anti-allotype antibodies in, 86-93
- Antigenic drift, in influenza viruses, 356
- Antigenic shift, in influenza viruses, 356
- Anti-idiotypic antibodies (Ab₂), 2
- antibodies to (Ab₃), 2, 243-244
 - antibodies to (Ab₄), 2, 319
 - in arsonate system, 259-261
 - to bovine serum albumin, 310
 - in CB 20 mice, 300
 - heterogeneity of, 292-295
 - in lysozyme response system, 198-199
 - to anti-BSA monoclonal antibody, 305-312
 - anti-IdX558 affecting responses to dextran in IgH^{Cb} mice, 296-301
 - and anti-levean response of BALB/c mice, 290-295
 - and autoantibody production, 363-377. *See also* Autoantibodies, anti-idiotypic circulating complexes with idiotypes, 373-374
 - cross-reactivity of, 248-256
 - to hormones and receptors, 240-247
 - and IgE responses in BALB/c mice, 330-344, 373
 - to immunoglobulins, 327
 - to insulin, 245, 251-254
 - interactions with hormone receptors, 241-242
 - interactions with idiotypic antibodies, 245
 - mimicking actions of hormones, 245, 253-254
 - to retinol-binding protein antibodies, 248-249
 - to 17.5.E, 307, 308-309
 - 3I reactivity with anti-dsDNA antibodies, 382-384
- Arsonate system
- antibodies with cross-reactive idiotypic, in BALB/c mice, 257-264
 - idiotypic suppression in, maternal-fetal transfer of, 40-47
 - shared idiotypic with DNP-binding antibodies in BALB/c mice, 282-289
 - silent idiotypes induced in, 4
 - structural studies of idiotypic in, 48-64
 - studies with monoclonal antibodies, 9-15
- Autoantibodies
- anti-allotype, in allotype-suppressed rabbits, 84-93
 - anti-idiotypic, 363-377
 - age affecting, 27-29
 - artificially induced, 16-18
 - characterization of, 165-166
 - compared to isologous anti-idiotypic reagents, 17
 - cycling of responses in, 21-22, 25
 - naturally occurring, 18-25, 255
 - and reversible suppression of responses, 22, 26
 - and sensitivity of idiotopes to reducing agents, 19, 23 - to renal tubular basement membrane, 364-365
 - to thyroglobulin, 365-368
- B** cells
- antibody-specific regulation of responses in, 177-188
 - and generation of refractory B cells, 180-186
 - bearing IdXL, 201-202
 - developmental stages in, 130-131
 - expanded precursor-cell clones, 135, 136
 - expansion of, and role of regulatory idiotopes, 311
 - Ia antigens of, 230-239
 - idiotypic recognition by, 65, 70
 - inducing idiotypic suppression, 41, 43
 - interaction with T cells, 81, 126, 129, 149
 - MHC restriction of, 180
 - MM60-defined, 166, 167

B cells (*continued*)

- prereceptor, 131-137
- regulation by anti-idiotypic T-suppressor systems, 81
- responses to 2,4-DNP, 132
- responses to 4-hydroxy-3-nitrophenyl-acetyl, 134-135
- responses to influenza virus hemagglutinin, 132-133
 - inhibition of, 179
 - responses to phosphorylcholine, 133-134
 - specificity repertoire of, 130-139
 - tolerance susceptibility of, 131, 136
- Bacterial levan, antibody response to, 97-108, 290-295
- Bee-venom protein, antibodies to, 344
- Benzylpenicilloyl, IgE response to, 330-344, 373
- Bi-directional immune responses, 317-323
- BisQ antibodies, anti-idiotypic antibodies against, 245

Carrier effect, and regulation of IgE response, 333-336

- Cascade, immunization, 3-4, 11, 13
- Catecholamines, internal image of, 240-247
- Cellular interaction molecules, 206
 - and immunologic tolerance, 215
- Clonal selection theory, 1
- Contrasuppression, blocked by antisera to tumors, 215-216
- Contrasuppressor cells, 201
- Cross-reactive idiotypes (IdX), 3, 6, 9
 - of anti-arsonate antibodies induced in BALB/c mice, 257-264
 - of antibodies to influenza virus hemagglutinin, 356-361
 - in anti-dextran system, 220
 - heterogeneity of, 151-170
 - in IgH^C mice, 296-301
 - of anti-dsDNA antibodies from lupus patients, 383-384
 - of anti-immunoglobulins, 324-328
 - major idiomotype CRI_A
 - hybridoma products of, 9, 40
 - structural studies of, 49-53
 - suppression in mothers and offspring, 40-47
 - minor idiomotype CRI_C in BALB/c mice, 40, 57
 - sharing of markers
 - by anti-allotype antibodies, 198, 313-316
 - by arsonate- and DNP-binding antibodies, 285-287
 - by influenza virus hemagglutinin antibodies, 357

- α 1-3 Dextran
 - monoclonal antibodies to, 151-170
 - response induction in IgH^C mice, 296-304
 - response induction in maternally suppressed mice, 220-229
- Diabetes, antibodies to insulin receptors in, 254
- Diazophenylphosphorylcholine, affinity of variant antibodies for, 173
- Dihydroalprenolol, binding to β -adrenergic receptors, inhibited by Ab₂ antibodies, 242
- 2,4-Dinitrophenyl
 - antibodies sharing idiomtypy with arsonate-binding antibodies in BALB/c mice, 282-289
 - B-cell responses to, 132
 - inhibition of, 177-179
- DNA, double-stranded, antibodies to, in lupus erythematosus, 379-385

Egg-white lysozyme, antibodies to epitope specificities of, 148-149

- heavy chain variable regions of, 144-147
- overlap patterns of, 142
- public idiomotype of, 140-150
- secondary response, 140
 - as Ab₃ stage, 198-199

Epitopes

- I region-controlled, associated with T-cell factors, 192-193
- specificities of antibodies to egg-white lysozyme, 148-149

Expansion

- of B cells
 - in precursor-cell clones, 135, 136
 - and role of regulatory idiotopes, 311
- of self-restricted T-cell population, 272

Gene complements, immunoglobulin, and latent allotypes, 114

- Genic conversion, 6
 - and anti-arsonate response in wrong allotype mice, 297
- Germ-line encoded antibodies, 3, 6, 104
 - affinities of, 171-176
 - bearing predominant cross-reactive idiomotype, 49, 53
 - in Id³⁶⁻⁶⁰ idiomotype families, 59
 - lacking predominant cross-reactive idiomotype, 54
 - nonbinding to arsonate, 60
 - recognition by T cells, 183-184
 - variable regions in, 48, 121, 124-125

Glomerulonephritis, immune-complex, 371
Graves' disease, anti-idiotypic antibodies in, 245

H-2 antigen

internal image exhibited by T-helper cells, 276-279

monoclonal antibodies to, 267-268

Heavy-chain variable regions

gene products inhibiting interactions between T-cells, identified by antisera to tumors, 206-219

in germ-line encoded antibodies. *See* Germ-line encoded antibodies

of monoclonal antibodies to egg-white lysozyme, 144-147

as restricting elements, 193-194

Hen's egg lysozyme. *See* Egg-white lysozyme, antibodies to

Heteroclicity, in murine responses to nitrophenylacetyl, 121, 135

Heterogeneity

of Ab₂ antibodies, 8

of anti-al antibodies, 313

of antibodies to Ab₃ monoclonal antibodies, 292-295

of arsonate-binding antibodies with cross-reactive idiotypes, 49-53

of autoantibodies, 372

of I-region antigens on T cells, 192

idiotypic, of T15-positive lymphocytes, 31-33

idiotypic, analysis of, 151-170

of T15 antibodies to phosphorylcholine, 37

of 3I reactive anti-dsDNA antibodies in lupus patients, 384

Histocompatibility complex

antibodies to, idiotypes of, 265-271

and interactions between T cells and B cells, 180

internal images of antigens, 272-281

products as cellular interaction molecules, 206

restriction

and B-cell activation, 238

and predominance in IdX systems, 200, 203

and T-cell recognition of antigen, 194

Hormones

action mimicked by anti-idiotypic antibodies, 245, 253-254

interaction with receptors, 240-245

Hybridoma proteins

of cross-reactive idiotypes (CRI_A), 9, 40

rabbit-mouse, 114-116

structural studies of, in arsonate system, 48-64

T cell, 190

2D3, 9-15

expression of idiotope in BALB/c mice, 11-12

recognition of HP 36.65 and R 16.7, 10, 15

suppression of idiotope expression in A/J mice, 10-11

36-60

and antibody responses to arsonate and DNP, 285-287

antisera to, 57

unrecognized by 2D3, 10

4-Hydroxy-3-nitrophenylacetyl

B-cell responses to, 134-135

inhibition of, 179

murine responses to, 121, 125-126, 135

Hypercycle, immune, 1-2

Hyperimmunization

and antibody response to bacterial levan, 99

and maternal-fetal transfer of idiotypic suppression, 40-47

Hypersensitivity

delayed-type, suppression by T-suppressor cells, 74-82

immediate-type allergic diseases, 330-345

I region-controlled determinants, 189-197

Ia antigens, B-cell, 230-239

Idiotopes, 2

expression regulated by anti-idiotope antibodies, 121-127

heterogeneity in splenic foci, 160-165

regulatory, 2, 198-204

and reaction of Ab₄ with Ab₁, 319

and response to autoantigens, 372

and response to bovine serum albumin, 311

Idiotypes

antibodies to. *See* Anti-idiotypic antibodies of antibodies to MHC, 265-271

of anti-immunoglobulins, 324-328

circulating complexes with anti-idiotypic antibodies, 373-374

cross-reactive, 3, 6, 9. *See also* Cross-reactive idiotypes

enhancement of expression, 127

expression in myeloma cells, 346-355

heterogeneity of, 151-170

IdXL, 140, 198

in network hypothesis, 2, 6

polymorphism of, 104

predominant, 140, 198

regulatory, 104

repertoires of, 3

in different species, 5

restricted specificities of, 9

Idiotypes (*continued*)

- shared
 - in anti-allotype antibodies, 198, 313-316
 - in antibodies to influenza virus hemagglutinin, 357
 - between arsonate-binding and DNP-binding antibodies in BALB/c mice, 282-289
- silent, induction of, 1-8, 11-13
 - in arsonate system, 4
 - in irradiated rabbits, 5
 - rabbit idiotypes induced in mice, 4-5
- suppression of, 3
 - maternal-fetal transfer of, 40-47
- Idiotypic antibodies, interacting with anti-idiotypic antibodies, 245
- Immune-complex glomerulonephritis, 371
- Immunization cascade, 3-4, 11, 13
- Immunoglobulins
 - affinities affected by somatic mutation, 171-176
 - allotypes in rabbits, 109-120
 - antibodies to, 324-328
 - Po proteins of, 325, 327
 - Wa proteins of, 325-327, 328
 - gene complement of, and latent allotypes, 114
 - idiotypic heterogeneity in splenic foci, 160-165
 - idiotypes expressed on, 330
 - IgE antibody responses, 330-345, 373
 - immunoregulation of synthesis, 84-96
- Influenza virus
 - anti-influenza hybridomas, 176
 - B-cell responses to, 132-133
 - inhibition of, 179
 - clonal responses to hemagglutinin, 356-361
- Insulin antibodies, and synthesis of anti-idiotypic antibodies, 245, 251-254
- Interleukin 2, secretion by activated T cells, 276
- Internal images in immune system, 5, 8, 93, 94, 150, 282
 - and Ab₂ antibodies, 198
 - of anti-17.5.5E, 310
 - of catecholamines, 240-247
 - in I region, T cells as, 196
 - of MHC antigens, 272-281
 - responses to, 322

J

- 558 idiotypic
 - expression by maternally suppressed mice, 220-229
 - monoclonal antibodies to, 153, 156
 - IdX Dex specificity of, 297

Kidney tubular basement membrane, antibodies to, 364-365

Latent allotypes, 109-114

- and bi-directional immune responses, 319-320
- control of expression of, 110-114
- and immunoglobulin gene complement, 114
- induction by anti-allotype injection, 112, 113
- structural studies of, 110
- Levan, bacterial, antibody response to, 97-108, 290-295
- Lupus erythematosus, antibodies to double-stranded DNA in, 379-385
- Lymphocyte activation, in immune response, 2. *See also* B cells; T cells
- Lysozyme system. *See* Egg-white lysozyme, antibodies to

M

- 167 idiotypic, recognition by T-helper cells, 68
- M316 secretion, inhibition of, 348-352
- Maternal-fetal transfer
 - of allotype suppression, 88-93
 - and genetic control of activation of A48Id silent clones, 102, 104-105
 - of idiotypes, 23
 - of idiotypic suppression state, 40-47
 - and expression of J558 idiotypic on lymphocytes, 220-229
- Memory B-cell responses, and antibody-specific regulatory function, 177, 186
- Methylcholanthrene-induced sarcoma antigens, related to Igh-V-linked T-cell interaction molecules, 206-219
- Micrococcus* antigen, anti-idiotypic antibodies to, 5
- Minigene hypothesis, 6
- Monoclonal antibodies. *See also* Hybridoma proteins
 - anti-idiotypic
 - in analysis of idiotypic heterogeneity, 151-170
 - biological activities of, 159-160
 - epitope specificity of, 155-156
 - arsonate-binding, structural studies of, 49-58
 - characteristics of 17.5.5E, 307-308
 - to double-stranded DNA, in lupus erythematosus, 379-385
 - to egg-white lysozyme, 140
 - 14-4-4 system, 266-267
 - GB4-10 compared to MM60, 166
 - to H-2 antigens, 267-268

- to I region products on T cells, 190-191
to idiotypes
 regulatory influence of, 121-123, 125-127
 of T15 idiotype, 31-33
to immunoglobulins, 325
to influenza virus hemagglutinin, 356
nonbinding of arsonate by, 59-63
MOPC-104E, monoclonal antibodies to, 153, 156
MOPC-315 cells, 346-355
MOPC-460 idiotype system, 4, 15
 and antibody responses to arsonate and DNP, 285-287
Multi-specific antibodies to bovine serum albumin, 305-312
Mutations, somatic
 and antibody affinity, 171-176
 in B-cell differentiation, 165
Myasthenia gravis, anti-idiotypic antibodies in, 245
Myeloma cells, idiotype expression in, 346-355
- N**eonatal suppression
 and activation of autologous T cells, 34-36
 and anti-dextran antibody responses, 160
 and factors transmitted in milk, 45-46, 227
 idiotype expression in, 45
 and regulatory influence of anti-idiotope monoclonal antibodies, 125-126
Neonatal treatment with A48Id, and activation of silent clones, 102, 105
Nephritis, tubulointerstitial, autoantibodies in, 364-365
Networks, immune, 2, 6, 13
 and allotype suppression, 84-96
 and auto-anti-idiotypic responses, 18
 and B-cell repertoire expression, 136
 bi-directional concept of, 317-323
 idiotype-specific T-helper cells in, 65-73
 relationship of antibodies in, 318
 and structural studies of idiotypy in arsonate system, 48-64
- O**valbumin
 IgE response to, 332, 336
 IgG response to, 333, 335
 and T-helper cells recognizing Ia on B-cell surface, 231-233
- P**hosphorylcholine
 affinity of variant antibodies for, 173
 B-cell responses to, 133-134
 Ia antigens affecting, 230-239
 inhibition of, 179
 and idiotype-specific T-helper cells, 67-71
 IgE response to, 330-344, 373
 internal image exhibited by anti-T15 T-helper cells, 275-276
 monoclonal antibodies to, 151-170
Prealbumin, binding sites for retinol-binding protein, 249-251
Predominant idiotypes
 IdXL, 140, 198
 and regulatory idiotopes, 198-204
 single or multiple, 199-200
- R**abbit idiotypes induced in mice, 4-5
Rabbit-mouse hybridomas, 114-116
Receptors
 hormone interactions with, 240-245
 insulin, anti-idiotypic antibodies interacting with, 252-253
Regulatory idiotopes. *See* Idiotopes, regulatory
Regulatory idiotypes, 104
Regulatory T cells
 induction by anti-idiotope antibodies, 126
 and secretion of M315, 352
Restriction
 MHC
 and B-cell activation, 238
 and predominance in IdX systems, 200, 203
 and T-cell interactions with B cells, 180
 and T-cell recognition of antigen, 194
 self-restricted repertoire of T-helper cells, 272-281
Retinol-binding protein antibodies
 anti-idiotypic antibodies to, 248-249
 reactivity with prealbumin binding sites, 250-251
Rheumatoid factor idiotypes, 324-328
- S**elf recognition, 6
Self-restricted repertoire of T-helper cells, 272-281
Shared idiotypes
 in anti-allotype antibodies, 198, 313-316
 in antibodies to influenza virus hemagglutinin, 357
 between arsonate- and DNP-binding antibodies in BALB/c mice, 285-287
Silent idiotypes
 activation of A48Id, genetic control of, 97-108
 induction of, 1-8, 11-13
Somatic mutation
 and antibody affinity, 171-176
 in B-cell differentiation, 165

Specificity

in antibody-specific regulation of B-cell responses, 177-188

of B-cell repertoire, 130-139

Splenic foci, idiotope heterogeneity of immunoglobulins in, 160-165

Structural studies of idiotypy, in arsonate system, 48-64

in antibodies bearing predominant cross-reactive idiotype, 49-53

in antibodies failing to bind arsonate, 59-63

in antibodies lacking predominant cross-reactive idiotype, 54-56

in antibodies of second idiotype family, 57-59

Suppression

of allotypes, induction of, 84-96

antigen-specific T-suppressor systems, 74-82

of autoantibody production, by anti-idiotypic treatment, 373

of auto-anti-idiotypic antibody responses, 22, 26

of B-cell responses, by T cells, 177-188

of dextran responsiveness in maternally suppressed mice, 220-229

of idiotypes, 3

maternal-fetal transfer of, 40-47

by Ly-1 TsiF, blocked by antisera to tumors, 206-219

Synthetic antigen, inducing T-suppressor systems, 74-82

T cells

augmenting AgT_H activity, 201

augmenting factor in, 189-197

autologous, regulating idiotope expression in T15 complex, 33-39

bearing IdI, in maternally suppressed mice, 223-226

helper

antigen-specific, in lysozyme system, 200-201

idiotype-specific, 65-73

ovalbumin-specific, 231-233

recognition of B-cell Ia antigens, 231

recognition of IdXL, 199

recognition of T15 idiotype, 67-71, 275-276

and response to dextran in CB 20 mice, 301

self-restricted repertoire of, 272-281

helper-inducer cells in lysozyme system, 201

hybridomas, 190

I region-controlled determinants on, 189-197

inducing idiotype suppression, 41-43

interaction with B cells, 81, 126, 129, 149

MHC restriction of, 180

modulatory cells, 77-79, 81-82

regulatory

induction by anti-idiotypic antibodies, 126

and secretion of M315, 352

replacing factor, in reconstitution of idiotype clones, 238

suppressing B-cell responses, 177-188

and generation of refractory B cells, 180-186

suppressor

antigen-specific, 74-82, 189-197

bearing IdXL, relation to B cells with similar idiotype, 201-202

and predominance in IdX systems, 203-204

suppressor inducer factor

blocked by antisera to tumors, 206-219

two chains of, 213, 214

T15 system

antibodies to

and function of antibody-recognizing T cells, 184

and IgE production, 332

antigenic complexity of, 31-33, 37

and B-cell clonal antibody product, 134

expanded anti-T15 B cells, 167

and Ia antigen expression in B cells, 230-239

monoclonal anti-idiotypic antibodies reacting to, 156

recognition by T-helper cells, 67-71, 275-276

Thyroglobulin, autoantibodies to, 365-368

Thyroid disease, Graves, anti-idiotypic antibodies in, 245

TMV, anti-idiotypic antibodies to, 5

Tolerance

induction in B cells, 131, 136

and tumor antigen activity, 215

Translocations, and tumor cell activity, 216

Transplantation antigens, 206-219

gene products on chromosome 12, 211-212,

215, 216, 218

Trimethylammonium

inducing auto-anti-idiotypic antibodies, 17

inducing regulatory T-cell populations, 74-82

inducing T-suppressor systems, 74-82

Trinitrophenyl injections

in aged mice, 27

and B-cell response to antigens, 67, 68, 184

Tumor-associated transplantation antigens, 206-219

- gene products on chromosome 12, 211-212, 215, 216, 218
- Tunicamycin, inhibiting M316 secretion, 350, 351
- L-Tyrosine-*p*-azophenyltrimethylammonium, including regulatory T-cell populations, 74-82

- V**ariant antibodies
 - affinities affected by somatic mutation, 171-176
 - and differences in Id expression, 165
 - recognition by T cells, 183-184
- Viruses, influenza. *See* Influenza virus